
## IND/FT250

**Dimensions**:  $2500 \times 1000 \times 140 \text{ mm}$  (LxWxH). The total area is  $2.5 \text{ m}^2$ .

**Color**: The color of grass valleys is concrete gray.

**Structure / shape**: the grass valleys must have sufficient stiffness to prevent slipping. The surface structure is untreated.

**Load class**: BC6 (according to PTV-126) – Frequent heavy traffic. The characteristic load at 2 supports for BC6: 80 (N / mm).







**Foundation**: continuous crushed stone 0/40 (type 1 according to SB 250) with thickness 35 mm

**Strength class**: C45/55 and is made with a limestone beat granulate for better durability.

Water absorption: max 5%

Steel quality: BE500ES

Rounding: > 25mm

**Weigh**t: 840 kg/st (336 kg/m<sup>2</sup>)

The grass pavers must harden in one for at least 24 hours closed damp room.

Drainage opening: 0 %

Lawn opening: 0 %

**Fill volume**: / L m <sup>2</sup>. The grass pavers can be filled with broken crushed stone or a grass concrete mixture.

## Technical specifications detail:

- Actual breaking load: minimum 1000 kg
- Suitable as water-permeable hardening
- Suitable as grass growth hardening
- Natural stone impact (1500 kg/m <sup>3</sup>): / kg/m <sup>2</sup>
- Grassy substrate (500 kg/m<sup>3</sup>): / kg/m<sup>2</sup>

## **Delivery & placement**

The grass pavers must be delivered on pallets without wooden spacers that leave traces on the pieces. A good alternative can be nylon rope or plastic spacers.

Placement is done with a grass drop clamp or custom stone clamp for which two options are possible:

- 1. Stone clamp with metal bars that fit in the openings
- 2. Stone clamp equipped with plates of preferably 8 mm between which the grass valleys are clamped

Fine positioning can be done with a rubber hammer.